



	WiFi360DED4SW200
NVR	1x NVR3608DEW
	4 x LMDNSW200W
	350
	1 x 1m
	1 USB 2.0
	1xDC 12V 2A for WIFI NVR, 4xDC 12V 0.5A for WIFI IP Camera
	5.3kg/SET
	LMDNSW200W
	1/2.7" CMOS
	200 1080P
	1920(H)*1080(V)
	H.264/H.264+/H.265/H.265+
	PAL/NTSC
	: PAL 1/25-1/10000Sec; NTSC 1/25-1/10000Sec
	≥52dB
	3.6mm
	300

	14μ x 12
	20
	/
	TCP/IP,ICMP,RTP,RTSP,RTCP
	/
P2P	/
POE	/
1	1920*1080@1-15fps(default resolution:1920*1080/frame rate:15fps/bit rate:1Mbps)
2	/
3	/
1	720*480@1-15fps(default frame rate:15fps/bit rate:0.5Mbps)
2	/
3	/
	/
	/
	/
	3dbi
	/
Wi-Fi	Wi-Fi(IEEE802.11b/g/n)
WIFI	300
	IR-CUT
	/ / / , , 3D NR , , FLK()
	/
ROI	/
	/
	3
	NVR
	/

	/
SD	/
RS485	/
	, IP66
IR-CUT	
	-20 ~ +60 RH95% Max
	-20 ~ +60 RH95% Max
	DC12V±10%, 500mA
	94(W) x 94(H) x 72(D)mm
	400g
	NVR3608DEW
	ARM Cortex A7 Quad-core Processor
	Embedded LINUX
	9CH (2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc)
	1 VGA, 1 HD
	/
	1 RCA(Linear, 1kΩ)
	64kbps
	G711u, G711a, G726
	/
	/
	9 , : 396 (22 × 18)
	FTP
AI	
	1 (1 10)
HD1	: 1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz
HD2	/
VGA	:1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz
	9CHxD1/8CHxD1/4CHxD1/1CHx1080P/1CHx3MP/1CHx4MP/1CHx5MP
OSD	

	H.264/H.265/H.264+/H.265+
	5MP(2592×1944),4MP(2688×1520),3MP(2048×1536),1080P(1920×1080),960P(1280×960),720P(1280×720),D1 (720×576/720×480)
	PAL :5MP@9×25fp,4MP@9×25fp,3MP@9×25fp,1080P@9×25fp, 960P@9×25fp,720P@9×25fp, D1@9×25fp NTSC: 5MP@9×30fp,4MP@9×30fp,3MP@9×30fp,1080P@9×30fp, 960P@9×30fp, 720P@9×30fp, D1@9×30fp
&	
	1CH 5MP@30fps, 1CH 4MP@30fps, 2CH 3M@30fps, 4CH 1080P@20fps, 4CH 960P@30fps, 4CH 720P@30fps
	4CH 1080P@20fps
	/USB(USB)
	1 RJ45 10M/100M
	60MB
	TCP/CP, HTTP, UPnP, DNS, NTP, SMTP, DHCP, FTP, DDNS, RTP, RTSP, RTCP, p2p
Onvif	Onvif 2.4
	IE8-11, Google Chrome (lower than Ver44), Firefox (lower than Ver53)
CMS	Windows 7/ Windows 8/Windows 10
(P2P)	
	iPhone, iPad, Android, Android Pad
POE	/
WIFI	, WIFI : 300m
	1 SATA (2.5"/3.5" SATA)
	8TB
eSATA	/
USB	1 USB 2.0
RS485	/
	DC12V/2A
	-10~55°C/10~90%